Mallia™




Express Yourself Like Never Before



inside


LOOK Love at First Sight	4
TOUCH Something to Behold	10
LOVE Marvel at the Versatility	12
WOO Form and Functionality	18
CLOSE Detail Catalogue	20



It's s simple

Mixing colours is a breeze with Mallia. Beyond promising endless possibilities with the expanded range, the license to blend them in anywhere desired is just sheer joy.









Love at First Sight

Be it conventional matt white, stylish light silver, elegant pearl or the chic dark silver, the renewed Mallia range exudes alluring elegance and uncompromised simplicity – like always.







White Silver Pearl Champagne Brass Copper Bronze Dark Silver Matt Black

Let the plateful of new Mallia colours delight visual senses. With our enhanced selection of classic matt white, contemporary silver, lustrous pearl, supple copper, muscular bronze, mysterious dark silver, melodic brass, sexy matt black, there is a colour for every style.

A looker in every sense and absolutely original. Each switch can now have a character and an identity of its very own. Champagne with silver, bronze with pearl, matt black with dark silver, silver with dark silver and more, the combinations are simply boundless.



7

Something to Behold

From the graceful profile to the sultry curves, the refreshed Mallia range is more than just a head turner. Its matt satin finish assures that the touch is equally sensual. It is definitely a breath-taking experience.

A visual and sensory treat as the colours and the complementary finishing converge into a pristine whole.



The slim profile promises to be a perfect fit for every space and design.





Marvel at the Versatility of Mallia $^{\scriptscriptstyle{\text{TM}}}$







The full works - 1 to 3 gang transparent rocker "Full Screen" consists of three layers: the Rocker, Blank label and Transparent cover.



Irresistibly charming. The new Mallia is so easy to love. Like a chameleon that is highly adaptable, Mallia rises up to the occasion, in style – always.











100% flexible. Any design. Any frequency of change. The possibilities are endless with Mallia.

Even more versatile than you expect


The flame of passion just keeps burning stronger and brighter.

In complete harmony to the modern lifestyles demands. No matter how visionary your lifestyle, our renewed range promises to enhance the overall experience – our expression of affection.

Beyond getting the ergonomics right, Mallia goes the distance to ensure that form always complements the function. We give the freedom to express creativity – our speech of love.

Ease and control with our sound diffusion system. Choose the standalone unit to regulate sound system and FM radio tuner or the mult intercom and remote child-monitoring. Stand alone tuner


















FM-TV socket


























































Indicator for Do not disturb / Do not disturb / Clean up Rotary dimmer
Clean up and bell 2-gang switch
push-button





2-gang BS socket outlet







Our affinity lasts a lifetime. Not only does Mallia offer form and function in our expanded range, we also take care to ensure that the installation process is effortless. This justifies that the love for us is well-placed.



Resilient and flexible material used for the plates make it easy for mounting on uneven surfaces.



Slim design of the mechanisms gives way for larger wiring space in the box.






Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



Mallia plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



It's so easy to perform installation with our top access screws for connecting electrical wires.



MalliaTM complete - white single pole switches

MalliaTM dressable - colour single pole switches







2810 04





2830 02

2832 04



Plates selection chart (p. 36)

Conform to BS EN 60669 – 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm Conform to BS EN 60669 – 1 Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V \sim	Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V \sim
10	2810 00	1 gang - 1-way switch O White	5 5 5	2830 00 2832 00 2834 00	Pearl
10	2810 01	1 gang - 2-way switch O White	5 5 5	2830 01 2832 01 2834 01	1 gang - 2-way switch Silver Pearl Dark Silver
4	2810 08	1 gang - intermediate switch White	4 4 4	2830 08 2832 08 2834 08	Pearl
10	2810 02	2 gang - 1-way switch O White	5 5 5	2830 02 2832 02 2834 02	Pearl
10	2810 03	2 gang - 2-way switch O White	5 5 5	2830 03 2832 03 2834 03	Pearl
10	2810 04	3 gang - 1-way switch O White	5 5 5	2830 04 2832 04 2834 04	Pearl
10	2810 05	3 gang - 2-way switch O White	5 5 5	2830 05 2832 05 2834 05	Pearl
10	2810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes O White	5 5 5	2830 06 2832 06 2834 06	Pearl
10	2810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes White	5 5 5	2830 07 2832 07 2834 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes Silver Pearl Dark Silver



NEW

MalliaTM complete - white single pole switches (continued)


MalliaTM dressable - colour single pole switches (continued)





2810 10 2810 16

Conform to BS EN 60669 – 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm



Compatible with metal boxes only, for installation fold

the vertical lugs of the boxes

O White

10

2810 17





Plates selection chart (p. 36)

Conform to BS EN 60669 – 1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole illuminated switches
		10 ÂX - 250 V Transparent phosphorescent lens
		To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied
5 5	2830 10 2832 10	1 gang - 1-way switch Silver Pearl
5	2834 10	Dark Silver
5	2830 11	1 gang - 2-way switch Silver
5 5	2832 11 2834 11	Pearl Dark Silver
4	2830 09	1 gang - intermediate switch Silver
4	2832 09 2834 09	Pearl Dark Silver
	2004 00	2 gang - 1-way switch
5 5	2830 12 2832 12	Silver Pearl
5	2834 12	Dark Silver
5	2830 13	2 gang - 2-way switch Silver
5 5	2832 13 2834 13	Pearl Dark Silver
_	0000 44	3 gang - 1-way switch
5 5	2830 14 2832 14	Silver Pearl
5	2834 14	Dark Silver
5 5	2830 15	3 gang - 2-way switch Silver
5	2832 15 2834 15	Pearl Dark Silver
		4 gang - 1-way switch Compatible with metal boxes only, for installation fold
5	2830 16	the vertical lugs of the boxes Silver
5 5	2832 16 2834 16	Pearl Dark Silver
J	2004 10	4 gang - 2-way switch
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes
5 5	2830 17 2832 17	Silver Pearl
5	2834 17	Dark Silver



MalliaTM complete - white single pole switches (continued)









2810 53





2834 53

2830 54



Plates selection chart (p. 36)

Conform to BS EN 60669 – 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm

Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates Dim.: 86 x 86 mm

Conform to BS EN 60669 - 1

Pack	Cat.Nos	Single pole switches 20 AX - 250 V \sim
10	2810 50	1 gang - 1-way switch White
10	2810 51	1 gang - 2-way switch White
4	2810 69	1 gang - intermediate switch O White
10	2810 52	2 gang - 1-way switch White
10	2810 53	2 gang - 2-way switch
10	2810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes White
10	2810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes White

Pack	Cat.Nos	Single pole switches 20 AX - 250 V \sim
5 5 5	2830 50 2832 50 2834 50	1 gang - 1-way switch Silver Pearl Dark Silver
5 5 5	2830 51 2832 51 2834 51	1 gang - 2-way switch Silver Pearl Dark Silver
4 4 4	2830 69 2832 69 2834 69	1 gang - intermediate switch Silver Pearl Dark Silver
5 5 5	2830 52 2832 52 2834 52	2 gang - 1-way switch Silver Pearl Dark Silver
5 5 5	2830 53 2832 53 2834 53	2 gang - 2-way switch Silver Pearl Dark Silver
5 5 5	2830 54 2832 54 2834 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes Silver Pearl Dark Silver
5 5 5	2830 55 2832 55 2834 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes Silver Pearl Dark Silver

push-buttons, dimmers, automatic switches

Mallia™ dressable - colour

push-buttons, dimmers, automatic switches





2810 84





2834 90

5

5

5

5

5

5

Plates selection chart (p. 36)

Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes

Pack Cat.Nos Push-buttons 10 A - 250 V \(\tag{7}

Conform to BS EN 60669 - 1

To be equipped with plates Dim.: 86 x 86 mm

2830 41

Dimmers

Painted polycarbonate front cover

Conform to BS EN 60669 - 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V \sim
10	2810 41	N/O contact (push to make) White
10	2810 40	N/O contact with bell symbol White

Pack	Cat.Nos	Push-buttons 10 A - 250 V \sim
10	2810 41	N/O contact (push to make) O White
10	2810 40	N/O contact with bell symbol White


Dimmers Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V \sim - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 2810 80 O White 0 Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V√. 2810 84 O White 0



N/O contact (push to make)

Silver

		Billinere
1 1 1	2830 80 2832 80 2834 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 401 39 Silver Pearl Dark Silver
		Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V ∼
1	2830 84	Silver
1	2832 84	Pearl
1	2834 84	Dark Silver



Automatic switches

IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1 614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V√

O White

Automatic switches

IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1 614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V ∼





MalliaTM complete - white double pole switches

MalliaTM dressable - colour double pole switches






2810 62



2810 72

Conform to BS EN 60669 – 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate. Dim.: 86 x 86 mm







Plates selection chart (p. 36)

Conform to BS EN 60669 – 1 Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates. Dim.: 86 x 86 mm

		ews M 3.5 for BS boxes n plates. Dim.: 86 x 86 mm
Pack	Cat.Nos	Double pole switches 20 AX - 250 V \sim
		Equipped with earth link connector
5 5 5	2830 60 2832 60 2834 60	1 gang - 1-way Silver Pearl Dark Silver
5 5 5	2830 61 2832 61 2834 61	1 gang - 1-way with LED power indicator Silver Pearl Dark Silver
5 5 5	2830 62 2832 62 2834 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking Silver Pearl Dark Silver
5 5 5	2830 65 2832 65 2834 65	2 gang - 1-way with LED power indicator Silver Pearl Dark Silver
5 5 5	2830 66 2832 66 2834 66	1 gang - 1-way with LED power indicator and cable outlet Silver Pearl Dark Silver
5 5 5	2830 67 2832 67 2834 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking Silver Pearl Dark Silver
5 5 5	2830 68 2832 68 2834 68	1 gang - 2-way with "WATER HEATER" marking Silver Pearl Dark Silver
		Double pole switches 45 A - 250 V \sim
		Conform to BS EN 60669 - 1
5 5 5	2830 71 2832 71 2834 71	1 gang - 1-way with red indicator Silver Pearl Dark Silver
		1 gang - 1-way with red indicator and cooker marking
5 5 5	2830 72 2832 72 2834 72	Silver Pearl Dark Silver
		2 gang - 1-way vertical switch with red indicator
5 5 5	2830 73 2832 73 2834 73	Dim.: 86 x 146 mm Silver Pearl Dark Silver

other lighting functions, cooker control units





2810 75

Conform to BS EN 60669 – 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm

Pack	Cat.Nos	Programmable switches
1	2810 92	Power supply: 230 V 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact
		Time delay switches
1	2810 91	Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V 250 W fluorescent lamps without capacitor ○ White
		Fan speed controls
1	2810 81	400 VA rotary fan control White
		5-speed fan control
1	2810 82	100 W for fan with overall diameter 48" White
		Cooker control units 45 A - 250 V \sim

red indicator Dim.: 146 x 86 mm

O White

10

2810 75

Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with

Mallia[™] dressable - colour other lighting functions, cooker control units





2832 81

2812 75



Plates selection chart (p. 36)

Conform to BS EN 60669 - 1 Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates

Dim.: 86 x	: 86 mm	i plates
Pack	Cat.Nos	Programmable switches
1 1 1	2830 92 2832 92 2834 92	Power supply: 230 V ~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact Silver Pearl Dark Silver
		Time delay switches
1 1 1	2830 91 2832 91 2834 91	Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V 250 W fluorescent lamps without capacitor Silver Pearl Dark Silver
		Fan speed controls
1 1 1	2830 81 2832 81 2834 81	400 VA rotary fan control Silver Pearl Dark Silver
		5-speed fan control
1 1 1	2830 82 2832 82 2834 82	100 W for fan with overall diameter 48" Silver Pearl Dark Silver
		Cooker control units 45 A - 250 V \sim
5	2812 75	Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm Silver

Pearl Dark Silver



telephone and data sockets









2811 65

Conform to BS EN 60669 – 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5	2811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector White
5	2811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector White
5	2811 68	BS master telephone sockets White
5	2811 69	BS secondary telephone sockets White
10	2811 70	2 A - 3 pin sockets White

		Data sockets
5	2811 61	RJ 45 Cat. 5e UTP White
5	2811 62	RJ 45 Cat. 6 UTP White
5	2811 64	Double RJ 45 Cat. 5e UTP White
5	2811 65	Double RJ 45 Cat. 6 UTP White





2835 63

2831 62



Plates selection chart (p. 36)

Conform to BS EN 60669 - 1 Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5 5 5	2831 60 2833 60 2835 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector Silver Pearl Dark Silver
5 5 5	2831 63 2833 63 2835 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector Silver Pearl Dark Silver
5 5 5	2831 68 2833 68 2835 68	BS master telephone sockets Silver Pearl Dark Silver
5 5 5	2831 69 2833 69 2835 69	BS secondary telephone sockets Silver Pearl Dark Silver
5 5 5	2831 70 2833 70 2835 70	2 A - 3 pin sockets Silver Pearl Dark Silver

		Data sockets
_		RJ 45 Cat. 5e UTP
5 5	2831 61	Silver
5 5	2833 61 2835 61	Pearl Dark Silver
0	2000 01	
		RJ 45 Cat. 6 UTP
5	2831 62	Silver
5	2833 62	Pearl
5	2835 62	Dark Silver
		Double RJ 45 Cat. 5e UTP
5	2831 64	Silver
5	2833 64	Pearl
5	2835 64	Dark Silver
		Devision DIAS Out CUTD
_	0004.05	Double RJ 45 Cat. 6 UTP
5	2831 65	Silver
5	2833 65	Pearl
5	2835 65	Dark Silver

telephone, data, television, shaver sockets and cable outlets

Mallia™ dressable - colour telephone, data, television, shaver sockets and cable outlets







2811 47





l

 \odot

Plates selection chart (p. 36)

Conform to BS EN 60669 – 1 Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone and data sockets
5	2811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP O White

10	Television sockets TV female terminal socket White
10	2811 52 TV female "F" type socket O White
10	TV-R terminal socket White
5	2811 57 TV-R-SAT socket



		0-1-141-4-
		Cable outlets
		Conform to BS 5733
10	2811 47	20 A
5	2811 48	45 A O White

Conform to BS EN 60669 – 1 Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone and data sockets
5 5 5	2831 66 2833 66 2835 66	RJ 11 + RJ 45 sockets Cat. 5e UTP Silver Pearl Dark Silver
5	2831 51	Television sockets TV female terminal sockets Silver

		relevision sockets					
5 5 5	2831 51 2833 51 2835 51	TV female terminal sockets Silver Pearl Dark Silver					
5 5 5	2831 52 2833 52 2835 52	TV female "F" type sockets Silver Pearl Dark Silver					
5 5 5	2831 53 2833 53 2835 53	TV-R terminal sockets Silver Pearl Dark Silver					
5 5 5	2831 57 2833 57 2835 57	TV-R-SAT sockets Silver Pearl Dark Silver					

		Shaver sockets
1 1 1	2831 35 2833 35 2835 35	240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm Silver Pearl Dark Silver

		Cable outlets				
		Conform to BS 5733				
5 5 5	2831 47 2833 47 2835 47	20 A Silver Pearl Dark Silver				
5 5 5	2831 48 2833 48 2835 48	45 A - supplied complete with plate Silver Pearl Dark Silver				

Mallia™ complete - white British standard socket outlets

Mallia™ dressable - colour **British standard socket outlets**







2811 14





2833 13

Plates selection chart (p. 36)

Conform to BS EN 60669 – 1. Polycarbonate front cover plates with a matt finish. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection Supplied complete with plate. Dim.: 86 x 86 mm

Conform to BS EN 60669 – 1. Painted polycarbonate front cover Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection

		boxes. All sockets integrate child protection vith plate. Dim.: 86 x 86 mm			All sockets integrate child protection n plates. Dim.: 86 x 86 mm
Pack	Cat.Nos	British standard socket outlets 13 A - 250 V \sim	Pack	Cat.Nos	British standard socket outlets 13 A - 250 V \sim
10	2811 10	Conform to BS 1363: Part 2 1 gang unswitched White	5 5 5	2831 10 2833 10 2835 10	Conform to BS 1363: Part 2 1 gang unswitched Silver Pearl Dark Silver
5	2811 12	2 gang unswitched O White Dim.: 146 x 86 mm	5 5 5	2831 12 2833 12 2835 12	2 gang unswitched - Dim.: 146 x 86 mm Silver Pearl Dark Silver
10	2811 11	1 gang - single pole switched White	5 5 5	2831 11 2833 11 2835 11	1 gang - single pole switched Silver Pearl Dark Silver
10	2811 14	1 gang - single pole switched with red power indicator White	5 5 5	2831 14 2833 14 2835 14	1 gang - single pole switched with red power indicator Silver Pearl Dark Silver
5	2811 13	2 gang - single pole switched O White Dim.: 146 x 86 mm	5 5 5	2831 13 2833 13 2835 13	2 gang - single pole switched - Dim.: 146 x 86 mm Silver Pearl Dark Silver
5	2811 15	2 gang - single pole switched with red power indicator White Dim.: 146 x 86 mm	5 5 5	2831 15 2833 15 2835 15	2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm Silver Pearl Dark Silver
10	2811 16	1 gang - double pole switched White 1 gang - double pole switched with red power	5	2813 16	British standard socket outlets - double pole Supplied with plate 1 gang - double pole switched Silver
10	2811 18	indicator	5 5	2816 16 2817 16	Pearl Dark Silver 1 gang - double pole switched with red power indicator
5	2811 17	2 gang - double pole switched O White Dim.: 146 x 86 mm	5 5 5	2813 18 2816 18 2817 18	Silver Pearl Dark Silver 2 gang - double pole switched - Dim.: 146 x 86 mm
5	2811 19	2 gang - double pole switched with red power indicator O White Dim.: 146 x 86 mm	5 5 5	2813 17 2816 17 2817 17	Silver Pearl Dark Silver 2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm
			5 5 5	2813 19 2816 19 2817 19	Silver Pearl Dark Silver

Mallia™ complete - white British standard socket outlets and fused connection units

Mallia™ dressable - colour

British standard socket outlets and fused connection units





2811 29



Conform to BS EN 60669 - 1 Confloring to BS EN 60069 – 1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate





Plates selection chart (p. 36)

Conform to BS EN 60669 - 1 Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
To be equipped with plates

Supplied complete with plate Dim.: 86 x 86 mm		To be equipped with plates Dim.: 86 x 86 mm			
Pack	Cat.Nos	British standard socket outlets 15 A - 250 V \sim	Pack	Cat.Nos	British standard socket outlets 15 A - 250 V \sim
10	2811 27	Conform to BS 546 1 gang unswitched	5 5 5	2831 27 2833 27 2835 27	Conform to BS 546 1 gang unswitched Silver Pearl Dark Silver
10	2811 28	1 gang switched O White	5 5 5	2831 28 2833 28 2835 28	1 gang switched Silver Pearl Dark Silver
10	2811 29	1 gang switched, with red LED power indicator White	5 5 5	2831 29 2833 29 2835 29	1 gang switched, with red LED power indicator Silver Pearl Dark Silver
10	2811 31 2811 32		5 5 5 5	2831 32 2833 32	British standard socket outlets 5 A - 250 V Conform to BS 546 1 gang unswitched Silver Pearl Dark Silver 1 gang switched Silver Pearl Pearl
		13 A fused connection units	5	2835 32	Dark Silver 13 A fused connection units
10	2811 40	Conform to BS 1363: Part 4 Unswitched White	5 5 5	2831 40 2833 40 2835 40	Conform to BS 1363: Part 4 Unswitched Silver Pearl Dark Silver
10	2811 41	Switched White	5 5 5	2831 41 2833 41 2835 41	Switched Silver Pearl Dark Silver
10	2811 42	Switched with red LED power indicator White	5 5 5	2831 42 2833 42 2835 42	Switched with red LED power indicator Silver Pearl Dark Silver



Mallia™ complete - white Euro-US and German standard socket outlets

Mallia™ dressable - colour Euro-US and German standard socket outlets





2811 00

Polycarbonate front cover plates with a matt finish Compact mechanism for a larger with a flatt life
Compact mechanism for a larger withing space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets
10	2811 00	10/16 A - 250 V 2P - 1 gang White
5	2811 01	2P - 1 gang + 10 A switch O White
10	2811 02	2P - 2 gang (separated connection) White
10	2811 03	2P+E - 1 gang O White
10	2811 04	2P+E - 2 gang O White

		German standard socket outlets 16 A - 250 V \sim
10	2811 25	2P+E - 1 gang O White





2835 02

2833 25



Plates selection chart (p. 36)

Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes All sockets integrate child protection To be equipped with plates Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V√.
5 5 5	2831 00 2833 00 2835 00	2P - 1 gang Silver Pearl Dark Silver
5 5 5	2831 01 2833 01 2835 01	2P - 1 gang + 10 A switch Silver Pearl Dark Silver
5 5 5	2831 02 2833 02 2835 02	2P - 2 gang (separated connection) Silver Pearl Dark Silver
5 5 5	2831 03 2833 03 2835 03	2P+E - 1 gang Silver Pearl Dark Silver
5 5 5	2831 04 2833 04 2835 04	2P+E - 2 gang Silver Pearl Dark Silver
		German standard socket outlets
5 5	2831 25 2833 25	16 A - 250 V 2P+E - 1 gang

	German standard socket outlined A - 250 V \sim
	2P+E - 1 gang
2831 25	Silver
2833 25	Pearl
2835 25	Dark Silver
	2831 25 2833 25 2835 25

Mallia™ modular - white modular sockets

Mallia™ modular - colour modular sockets







Plates selection chart (p. 36)

Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes All sockets integrate child protection To be equipped with 2-gang support frames and plates Dim.: 146 x 86 mm

Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes All sockets integrate child protection To be equipped with 2-gang support frames and plates Dim.: 146 x 86 mm

Pack	Cat.Nos	Socket outlets modular mechanisms
5	2818 55	To be equipped with 2-gang support frame and plates 1 gang unswitched - British standard - 13 A - 250 V ○ White
5	2818 58	1 gang switched - British standard - 13 A - 250 V~ White
8	2818 47	2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V
5	2818 50	2P+E - 1 gang - German standard - 16 A - 250 V ○ White

Pack	Cat.Nos	Socket outlets modular mechanisms
		To be equipped with 2-gang support frame and plates
		1 gang unswitched - British standard -
5	2818 56	13 A - 250 V Silver
5	2818 75	Pearl
5	2818 76	Dark Silver
		1 gang switched - British standard -
5	2818 59	13 A - 250 V √ Silver
5	2818 78	Pearl
5	2818 79	Dark Silver
		2P+E - 1 gang - Euro - US standard -
		10/16 A - 250 V \sim
8	2818 48	Silver
8	2818 67	Pearl
8	2818 68	Dark Silver
		2P+E - 1 gang - German standard - 16 A - 250 V√.
5	2818 51	Silver
5	2818 70	Pearl
5	2818 71	Dark Silver



Mallia™ complete - white switches for hotels, downlighters

Mallia™ dressable - colour switches for hotels, downlighters







2810 97

Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V \sim
1	2810 48	Key card switches - 15 A Time delay arround 30 s ○ White
10	2810 45	Do not disturb / Occupied / Clean up Bell push-buttons White
10	2810 46	Do not disturb / Clean up - 2 gang switches White
		Downlighters
5	2810 97	Low output downlighters 230 V√, with LED White



2830 45



Plates selection chart (p. 36)

Painted polycarbonate front cover Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V \sim
1 1 1	2830 48 2832 48 2834 48	Key card switches - 15 A Time delay arround 30 s Silver Pearl Dark Silver
5 5 5	2830 45 2832 45 2834 45	Do not disturb / Occupied / Clean up Bell push-buttons Silver Pearl Dark Silver
5 5 5	2830 46 2832 46 2834 46	Do not disturb / Clean up - 2 gang switches Silver Pearl Dark Silver
5 5 5	2830 97 2832 97 2834 97	Downlighters Low output downlighters 230 V√, with LED Silver Pearl Dark Silver

Red catalogue numbers: New pro	ducts

Llegrand

Mallia™ complete - white sound distribution

Mallia™ dressable - colour sound distribution













Plates selection chart (p. 36)

Painted polycarbonate front cover

Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes To be equipped with plates Dim.: 86 x 86 mm

Polycarbonate front cover plates with a matt finish Compact mechanism for a larger wiring space Supplied with 2 screws M 3.5 for BS boxes Supplied complete with plate Dim.: 86 x 86 mm

Pack	Cat.Nos	Stand-alone sound distribution system
		for 1 single room
		Kit containing : - 1 power supply - 1 tuner - 2 loudspeakers
1	2811 80	○ White

2811 84

		Configurable sound distribution system for several rooms
1	2811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules
1	2811 82	Central units White
1	2811 83	Local control units With LCD display, child surveillance and intercommunication White
1	2811 84	Radio tuner with local control units Dim.: 146 x 86 mm White
1	2811 85	Loudspeakers O White

Pack	Cat.Nos	Stand-alone sound distribution system
1 1 1	2831 80 2833 80 2835 80	for 1 single room Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers Silver Pearl Dark Silver

		Configurable sound distribution system for several rooms
1	2811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules
1 1 1	2831 82 2833 82 2835 82	Central units Silver Pearl Dark Silver
1 1 1	2831 83 2833 83 2835 83	Local control units With LCD display, child surveillance and intercommunication Silver Pearl Dark Silver
1 1 1	2831 84 2833 84 2835 84	Radio tuner with local control units Dim.: 146 x 86 mm Silver Pearl Dark Silver
1 1 1	2831 85 2833 85 2835 85	Loudspeakers Silver Pearl Dark Silver



Mallia™ dressable plates, frames, blanking plates, adaptors and accessories



2819 65







Pack	Cat.Nos	Plates
10 10 10 10 10 10 10 10	2819 00 2819 05 2819 10 2819 50 2819 55 2819 60 2819 65 2819 70 2819 75	1 gang
5 5 5 5 5 5 5 5 5 5	2819 01 2819 06 2819 11 2819 51 2819 56 2819 61 2819 66 2819 71 2819 76	2 x 1 gang
		2 gang - Vertical For Cat.Nos 2810 73, 2830 73, 2832 73 and 2834 73 (p. 24)
5 5 5 5 5 5 5 5 5	2819 02 2819 07 2819 12 2819 52 2819 57 2819 62 2819 67 2819 77	White Silver Champagne Pearl Dark Silver Brass Bronze Matt Black

5	2819 <i>7</i> 2 2819 77	● Matt Black ● Copper
5 5 5 5 5 5	2819 30 2819 31 2819 32 2819 33 2819 34 2819 46	Support frames and plates - for modular mechanism socket outlets 2 gang Supplied with fixing screws White Silver Champagne Pearl Dark Silver Brass
5 5	2819 47	Bronze
5 5 5	2819 47 2819 48 2819 49	Bronze Matt Black Copper

Pack	Cat.Nos	Blanking plates
10 10 10 10	2811 90 2831 90 2833 90 2835 90	1 gang White Silver Pearl Dark Silver
5 5 5 5	2811 91 2831 91 2833 91 2835 91	2 gang


5 5 5 5	2811 92 2831 92 2833 92 2835 92	Mosaic adaptors 1 gang O White Silver Pearl Dark Silver
5 5 5 5	2811 93 2831 93 2833 93 2835 93	2 gang

		Jan en
		Transparent rockers with label holders for switches
5	2818 95	Can be used instead of the standard rocker plates Supplied with white labels 1 gang
5	2818 96	2 gang
5	2818 97	3 gang
		Lamps
		For locator use





Mallia™ complete or dressable: find an answer to your needs...





PLATES		Plates		Support frames and plates for socket outlets
	1 gang	2 x 1 gang	2 gang	2 gang
iite	2819 00	2819 01	2819 02	2819 30
ver	2819 05	2819 06	2819 07	2819 31
ampagne	2819 10	2819 11	2819 12	2819 32
ari	2819 50	2819 51	2819 52	2819 33
rk Silver	2819 55	2819 56	2819 57	2819 34
ass	2819 60	2819 61	2819 62	2819 46
onze	2819 65	2819 66	2819 67	2819 47
tt Black	2819 70	2819 71	2819 72	2819 48
pper	2819 75	2819 76	2819 77	2819 49



Blankin	g plates	Mosaic a	adaptors
1 gang	2 gang	1 gang	2 gang
2811 90	2811 91	2811 92	2811 93
2831 90	2831 91	2831 92	2831 93
-	-	-	-
2833 90	2833 91	2833 92	2833 93
2835 90	2835 91	2835 92	2835 93
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

Glegrand

World Headquarters and International Department 87045 Limoges Cedex - France

T: + 33 (0) 5 55 06 87 87 Fax: + 33 (0) 5 55 06 74 55 www.legrandgroup.com